Index for Volume 21 (1972)

COMPILED BY TROY L. BEST

Acanthidops bairdi, 248, 259
Acari, 124, 125
Acropora
  cervicornis, 54–63
  palmata, 54–63
  prolifera, 54–63
Acroporidae, 58–63
Adams, Edward N., III, Consensus techniques and the comparison of taxonomic trees, 390–397
Adaptation,
  lizard, 441–443
Aegothelidae, 143, 147
Agan, Benny, see Hecht, Alan D.
Agapornis, 246
Agaricia
  agaricites, 54–63
  cucullata, 54–63
Agariciidae, 58–63
Agnathiella, 157, 162, 163, 166, 169
  beckeri, 163, 164, 169
Agnathiellidae, 155, 160, 168
Alaudidae, 141, 145, 146
Alcedinidae, 140, 141, 146
Allometry correction in taximetrics, Robert S. Corruccini, 375–383
Allomorphosis, 378
Allozymes, 263–270
Amblypygi, 124, 125
Amertrida centurio, 427
Analysis,
  colorimetric, 245–262
  geographic variation, 443–445
  multivariate, 106–116, 199–209
Analysis of polymorphism in the sooty-capped bush tanager, Ned K. Johnson and Alan H. Brush, 245–262
Anniella, 362
Anolis
  aeneus, 440, 441
  trinitatis, 440, 441
Anopheles, 1–6
  gambiae, 5
  maculatus, 1–6
  pulcherrimus, 5
  stephensi, 1–6
  subpictus, 5
  tessellatus, 1–6
Anthozoa, 53–64
Antrozous, 47
Apodidae, 137, 143, 147
Arachnida, 122–125
Araneae, 124, 125
Archaeochlus, 76
Argodrepans, 282
Argyropelecus
  affinis, 81–90
  hemigymnus, 81–90
  lychnus, 81–90
Arizona, 263–270
Artamidae, 143, 147
Artibeus, 425, 426
  toltecus, 426
Ashlock, Peter D., Monophyly again, 430–438
Ashlock's definition of "monophyly," a note on, Donald H. Colless, 126–128
Astrangia solitaria, 54–63
Astrangiidae, 58–63
Astrocoeniidae, 58–63
Atchley, William R., see Baker, Robert J., and —
Atchley, William R., The chromosome karyotype in estimation of lineage relationships, 199–209
Atrichornithidae, 141
Australia, 73–78
Australian region, 135–150
Australopithecus, 376–377, 381
Austrognatharia, 162, 166, 171
  boadeni, 171
  kirsteueri, 152, 153
  sterreri, 171
Austrognathia, 158, 162, 166, 171
  hymanae, 171
  riedli, 163, 171
Austrognathiidae, 155–162, 170
Aves, 135–150
Avifauna, 135–150

Baird, Ronald C., and Michael J. Eckardt, Divergence and relationship in deep-sea hatchetfishes (Sternoptychidae), 80–90
Baker, Robert J., William R. Atchley and V. Rick McDaniel, Karyology and morphometrics of Peters' tent-making bat, *Uroderma bilobatum* Peters (Chiroptera, Phyllostomatidae), 414–429
"Basic taxa" and the "unit of classification," Donald H. Colless, 65–68
Bathypolypus spondalis, 213
Bats, 31–52, 414–429
Bears, 91–96
Bee, 273
Behnke, Robert J., see Legendre, Pierre, and —
Bill dimensions of the three species of *Zosterops* on Norfolk Island, 289–291
Binominal nomenclature?, how stable is, James D. Rising and Frederick W. Schueler, 438–439
Biogeography, 69–79, 240–244
Birds, 245–262, 313–338, 438, 439

Bivalves, 308–312
Black, C. C., review by, 347
Blackith, R. E. and R. A. Reyment, Multivariate morphometrics (rev.), 348–349
Blair, W. Frank, Evolution in the genus *Bufo* (rev.), 447–450
Blarina, 106–116
brevicauda, 106–115
telmalestes, 106
Blood factors, 182–185
Bombycillidae, 144
Boos, Julius O., see Gorman, George C.
Boreochlus, 75, 76
Brachycome linearifoloba, 202
Brundin, Lars, Phylogenetics and biogeography, 69–79
Brush, Alan H., see Johnson, Ned K.
Bucconidae, 143, 147
Bucerotidae, 140
Buddleia alpina, 249
Bumpus, 23–30
Bursovaginoidea, 161
Bush-shrike,
African, 259
Butterfly, 271–279

Camin, 273
Campephagidae, 142
Capitonidae, 142, 144
Caprimulgidae, 143, 147
Cardinalinae, 145
Caribbean, 53–64
Caryophylliidae, 58–63
Catamblyrhynchinae, 142, 144
Catfish,
bullhead, 398–413
Catharus gracilirostris, 259
Cellia, 1–6
Centripetal selection and the house sparrow, P. R. Grant, 23–30
Certhiidae, 142, 147
Chaetosoma, 340
scaritides, 339
Chaetosomatidae, 339
Character, 281–288
Charadrius
alexandrinus, 439
nivosus, 439
Chariessa, 339
Chimpanzee, 377
Chironomidae, 72–78
Chiroptera, 31–52, 414–429
Chlorospingus
pileatus, 245–262
zeledoni, 245–262
Choate, Jerry R., see Genoways, Hugh H.
Chresonymy ex synonymy, Hobart M. Smith and Rozella B. Smith, 445
Chromosome,
bat, 414–429
mosquito, 3
Chromosome karytoype in estimation of lineage relationships, the, William R. Atchley, 199–209
Chromosome variation in North American fence lizards (genus *Sceloporus*; *undulatus* species group), Charles J. Cole, 357–363
Chui, V. W. D. and Ian W. B. Thornton, A numerical taxonomic study of the endemic *Ptycta* species of the Hawaiian Islands (Psocoptera: Psocidae), 7–22
Cifelli, Richard, review by, 350
Cinclinae, 141
Cladism, what is?, P. J. Darlington, Jr., 128–129
Cladocora arbuscula, 54–63
Clarification of taxonomy in the Mesozoa, Horace W. Stunkard, 210–214
Classification, 65–68, 227–231, 364–374, 390–397
phenetic, 42, 43, 53, 54
phylogenetic, 85–90, 216, 217
Cleridae, 339, 340
Climacteris, 147
Climatic determination of scale size in a lizard, on the, Michael Soulé and W. Charles Kerfoot, 97–105
Cluster analysis in biogeography, on the use of, Joseph E. Hazel, 240–242
Cluster analysis in biogeography, on the use of, a reply, James A. Peters, 242–244
Coerebinae, 145
Cole, Charles J., Chromosome variation in North American fence lizards (genus *Sceloporus*; *undulatus* species group), 357–363
Coleoptera, 72
Coliidae, 144
Colless, Donald H., A note on Ashlock's definition of "monophyly," 126–128
Colless, Donald H., "Basic taxa" and the "unit of classification," 65–68
Colpophyllia
amaranthus, 54–63
natans, 54–63
Columbidae, 144, 145
Common sense and courtesy in nomenclatural taxonomy, John O. Corliss, 117–122
Competition,
lizard, 440, 441
Components,
principal, 271–280
Compositae, 200
Conocyema, 212, 213
adminicola, 212, 213
deca, 213
polymorpha, 211
Conophoralia, 151–171
Conopophagidae, 141, 146
Consensus techniques and the comparison of taxonomic trees, Edward N. Adams, III, 390–397
Contradiction between nomenclature and taxonomy, P. J. P. Whitehead, 215–224
Coordinates,
principal, 271–280

Coraciidae, 142
Coral, 273
  reef, 53–64
Corliss, John O., Common sense and courtesy in nomenclatural taxonomy, 117–122
Corruccini, Robert S., Allometry correction in taximetrics, 375–383
Corvidae, 140
Cotingidae, 144
Cracticidae, 146
Cracticus, 146
Cregya, 339
Crowson, R. A., On the systematic value of the alimentary canal in Cleridae, 339–340
Cuculidae, 142
Cutbill, John L., ed., Data processing in biology and geology (rev.), 132
Cyclostomata, 401
Cymatodera oblita, 339
Cyphastrea ocillina, 54–63

Dacus
  neohumeralis, 187–198
  tryoni, 187–198
Darlington, P. J., Jr., 69–79
Darlington, P. J., Jr., What is cladism?, 128–129
Darlington, Philip J., Jr., The carabid beetles of New Guinea (rev.), 343–347
Davies, R. G., Computer programming in quantitative biology (rev.), 451–459
Dendrocolaptinae, 142, 146, 147
Dendrogyra cylindrus, 54–63
Dendrophylliidae, 58–63
Dicaeidae, 142, 145, 147
Dichocoenia stokesii, 54–63
Dicruridae, 143
Dicyema, 211–213
  clausianum, 210, 212
  paradoxum, 210, 212
  schulzianum, 212
  truncatum, 213
  typus, 210, 212
Dicyemennea, 211
  abreida, 213
  eledones, 212
Dicyemidae, 211–213
Dicyemodeca, 213
  sceptrum, 212
Diglossa plumbea, 259
Diploria
  clivosa, 54–63
  labyrinthiformis, 54–63
  strigosa, 54–63
Dipodomys, 268
Diptera, 72–78
Discrimination, 187–198
Distance analysis in biology, Major M. Goodman, 174–186
Divergence and relationship in deep-sea hatchetfishes (Sternoptychidae), Ronald C. Baird and Michael J. Eckardt, 80–90
Diversity and age relationships in recent and miocene bivalves, Alan D. Hecht and Benny Agan, 308–312
Drosophilidae, 446
Duellman, William E., review by, 447–450
Durazzi, Joseph T. and Francis G. Stehli, Average generic age, the planetary temperature gradient, and pole location, 384–389

Eckardt, Michael J., see Baird, Ronald C.
Egernia, 441–443
  cunninghami, 441, 442
  inornata, 442
  kintorei, 442
  multiscutata, 442
  nitida, 442
  saxatilis, 441, 442
  stokesi, 442
  whitei, 441, 442
Electrophoresis, 263–270
Eledone cirrhosa, 212
Emberizidae, 147
Emberizinae, 141, 144, 145
Empirical comparison of three ordination techniques in numerical taxonomy, an, F. James Rohlf, 271–280
Enoplium, 339
Erwin, T. L., review by, 343–347
Escallonia poasana, 249
Estrildidae, 148
Ethiopian region, 135–150
Eusmilia fastigiata, 54–63
Evolution, 308–312
Extinction of a local population of *Anolis* lizards through competition with a congener, George C. Gorman and Julius O. Boos, 440–441

Faunal regimes, 135–150
Favia
  fragum, 54–63
  gravida, 54–63
Faviidae, 58–63
Filospermoidea, 151–171
Finch,
  peg-billed, 248, 259
  slaty, 259
Findley, James S., Phenetic relationships among bats of the genus *Myotis*, 31–52
Fish, 364–372
Flower-piercer
  slaty, 259
Flycatcher,
  long-tailed silky, 259
Foraminifera,
  benthonic, 384–389
Formicariidae, 141, 146
Fringillidae, 147
Fringillinae, 144, 145
Fungia
  fragilis, 54–63

patella, 54–63
scutaria, 54–63
Fungiidae, 58–63
Furnariinae, 141, 142, 146
Further studies based on the uniquely derived character concept, Walter J. LeQuesne, 281–288

Galbulidae, 143, 147
Gene flow among three species of anopheline mosquitoes, lack of, Neelam Narang, S. Narang and J. B. Kitzmiller, 1–6
Generic age, the planetary temperature gradient, and pole location, average, Joseph T. Durazzi and Francis G. Stehli, 384–389
Genic variation in hybridizing populations of gophers (genus *Thomomys*), James L. Patton, Robert K. Selander and Michael H. Smith, 263–270
Genoways, Hugh H. and Jerry R. Choate, A multivariate analysis of systematic relationships among populations of the short-tailed shrew (genus *Blarina*) in Nebraska, 106–116
Geographic variation,
analysis of, 443–445
Geomys, 268
Gnathostomaria, 156, 162, 163, 166, 169
lutheri, 169
Gnathostomariidae, 156, 159, 162, 163, 169
Gnathostomula, 156–159, 163–166, 170
arabica, 170
armata, 170
axi, 170
brunidens, 170
jenneri, 152, 153, 163
karlingi, 170
maldivarum, 170
mediocristata, 170
mediterranea, 170
microstyla, 163, 170
murmanica, 170
nigrostoma, 170
paradoxa, 170
peregrina, 170
Gnathostomulidae, 155–163, 170
"Good" and "bad" phenograms, M. J. Sakin, 225–226
Goodman, Major M., Distance analysis in biology, 174–186
Gorilla gorilla, 375–377, 381
Gorman, George C. and Julius O. Boos, Extinction of a local population of *Anolis* lizards through competition with a congener, 440–441
Grackle,
great-tailed, 334
Grallaria, 146
Grallinidae, 141
Grant, P. R., Centripetal selection and the house sparrow, 23–30
Grant, P. R., Bill dimensions of the three species of *Zosterops* on Norfolk Island, 289–291
Grasshopper, 201–208

Haplognathia, 156, 158, 159, 161, 166, 168
filum, 168
gubbarnorum, 168
lunulifera, 168
lyra, 168
rosacea, 168
rosea, 168
ruberrima, 168
rubromaculata, 168
simplex, 152, 153, 163, 168
Haplognathiidae, 158, 159, 161, 168
Haplopappus, 200–208
gracilus, 201, 202, 204
ravenii, 201, 203
spinulosus, 201, 203
wigginsii, 201, 203
Hatchetfish, 80–90
Hawaii, 7–22, 53–64
Hazel, Joseph E., On the use of cluster analysis in biogeography, 240–242
Hecht, Alan D. and Benny Agan, Diversity and age relationships in recent and miocene bivalves, 308–312
Hedymeles melanocephalus, 439
Hennig-Brundin, 69–79
Hennig's "Phylogenetic Systematics" and its influence on ichthyology, comments on, Gareth J. Nelson, 364–374
Heterauxes, 378
Heterocyemidae, 211–213
Hirundinidae, 143, 147
Hominoids, 375–383
Homo, 71, 72
sapiens, 375, 376
Homogalax, 365, 371
Horse, 365
Horton, D. R., Lizard scales and adaptation, 441–443
Howden, H. F., 341–342
Howden, H. F., Systematics and zoogeography: science or politics, 129–131
Hull, David L., review by, 132–134
Hybrid rule, 197
Hybridization,
lizard, 440, 441
meadowlark, 313–338
mosquito, 1–6
pocket gopher, 263–270
shrews, 106–116
Hyracotherium, 365, 371

Ichthyology, 364–374
Ictalurus, 398–413
brunneus, 405, 407–411
catus, 405, 407–411
melas, 405, 407–411
natalis, 405, 407–411

nebulosus, 405, 407–411
platycephalus, 405–411
serrananthus, 405, 405–411
Icteridae, 140, 144–146
Indicatoridae, 142
Insects, 281–288
Irenidae, 144
Isophyllastrea rigida, 54–63
Isophyllia
multiflora, 54–63
sinuosa, 54–63

Jardine, N., A personal report on the fifth annual numerical taxonomy conference, Toronto, November 1971, 231–236
Jičín, R., see Vašíček, Z.
Johnson, Ned K. and Alan H. Brush, Analysis of polymorphism in the sooty-capped bush tanager, 245–262

Kaesler, Roger L., review by, 132
Karyology and morphometrics of Peters' tent-making bat, *Uroderma bilobatum* Peters (Chiroptera, Phyllostomatidae), Robert J. Baker, William R. Atchley and V. Rick McDaniel, 414–429
Kerfoot, W. Charles, see Soulé, Michael
Khudoley, K. M. and A. A. Meyerhoff, Paleogeography and geological history of the Greater Antilles (rev.), 450–451
Kitzmiller, J. B., see Narang, Neelam, and —

Labidognathia, 157, 161, 166, 169
longicollis, 169
Laniidae, 140, 141, 146
Latin America,
maize, 177–181
Legendre, Pierre, Carl B. Schreck and Robert J. Behnke, Taximetric analysis of selected groups of western North American *Salmo* with respect to phylogenetic divergences, 292–307
Lein, M. Ross, A trophic comparison of avifaunas, 135–150
Leiopelma, 74
Lepidoptera, 271
Leptastrea
bottae, 54–63
purpurea, 54–63
Leptoplana tremellaris, 211
LeQuesne, Walter J., Further studies based on the uniquely derived character concept, 281–288
Levels of phenetics, some, W. Wayne Moss, 236–239
Lineage relationships, 199–209
Lineus gesserensis, 211
Lizard, 97–105, 440, 441
fence, 357–363
Lizard scales and adaptation, D. R. Horton, 441–443
Lundberg, John G., Wagner networks and ancestors, 398–413

Macronyx, 146
Maize,
Mexican, 177–181
Malaconotus, 259
Malurinae, 142
Manicina areolata, 54–63
Maurolicus, 81, 85
McDaniel, V. Rick, see Baker, Robert J., and —
McPherson, D. G., see Vogt, W. G.
Meadowlark, 313–338
Meandrina meandrites, 54–63
Meaning of the term "sibling species," the, George C. Steyskal, 446
Mechanisms,
isolating, 313–338
Meliphagidae, 142, 145, 148
Melospiza melodia, 248
Menuridae, 141
Meropidae, 143, 147
Mesognatharia, 157, 166, 169
bahamensis, 169
remanei, 169
Mesognathariidae, 155, 157–163, 169
Mesozoa, 210–214
Methodology of geographic variation analysis, on the, Michael Soulé, 443–445
Meyerhoff, A. A., see Khudoley, K. M.
Microcyema, 212, 213
vespa, 211, 212
Miminae, 141, 146
Miocene, 308–312
Model,
Jardine's, 65–68
Momotidae, 142
Monophyly,
definition, 126–128
Monophyly again, Peter D. Ashlock, 430–438
Monotremata, 72, 74
Montastrea
annularis, 54–63
braziliana, 54–63
cavernosa, 54–63
Montipora
patula, 54–63
verrilli, 54–63
verrucosa, 54–63
Mosquito, 273
anopheline, 1–6
Moss, W. Wayne, Some levels of phenetics, 236–239
Motacillidae, 141, 146
Multivariate analysis of systematic relationships among populations of the short-tailed shrew (genus *Blarina*) in Nebraska, a, Hugh H. Genoways and Jerry R. Choate, 106–116
Multivariate assessment of interbreeding between the meadowlarks, *Sturnella*, a, Sievert A. Rohwer, 313–338

Murray, John W., An atlas of British recent foraminiferids (rev.), 350
Mus musculus, 267
Musca domestica, 217
Muscicapinae, 143, 147
Musophagidae, 144
Mussa angulosa, 54–63
Mussidae, 58–63
Myadestes ralloides, 259
Mycetophyllia lamarckiana, 54–63
Myotis, 31–52
abboti, 34–48
adversus, 32–48
albescens, 34–48
altarium, 32–48
ater, 34–48
auriculus, 33–48
austroriparius, 33–48
bechsteini, 32–48
blanfordi, 32–48
blythi, 33–48
bocagei, 32–48
browni, 33–48
californicus, 34–48
caliginosus, 33–48
capaccini, 34–48
capaccinii, 32–48
carimatae, 34–48
chiloensis, 34–48
chinensis, 34–48
dasycneme, 32–48
daubentoni, 32–48
davidi, 34–48
deignani, 34–48
dryas, 33–48
elegans, 31
emarginatus, 32–48
evotis, 33–48
federatus, 33–48
fimbriatus, 32–48
flavus, 34–48
formosus, 32–48
fortidens, 33–48
frater, 32–48
goudoti, 32–48
grisescens, 33–48
hermani, 32–48
horsefieldi, 34–48
ikonnikovi, 33–48
incautus, 34–48
insularum, 32–48
jeannei, 32–48
keenii, 33–48
laniger, 31
latirostris, 34–48
leibii, 34–48
lepidus, 33–48
longipes, 32–48
lucifugus, 33–48
macrodactylus, 32–48
macropus, 32–48
macrotarsus, 32–48
meinertzhageni, 32–48
moluccarum, 34–48
montivagus, 32–48
moupinensis, 32–48
muricola, 32–48
myotis, 32–48
mystacinus, 33–48
nattereri, 33–48
niasensis, 34–48
nigricans, 34–48
occultus, 33–48
pequinius, 33–48
peshwa, 33–48
petax, 34–48
peytoni, 33–48
primula, 33–48
ricketti, 33–48
riparius, 34–48
ruber, 31
rufoniger, 32–48
rufopictus, 33–48
scotti, 33–48
seabrai, 31
sicarius, 33–48
siligorensis, 33–48
sodalis, 34–48
sowerbyi, 34–48
stalkeri, 33–48
taiwanensis, 33–48
thysanodes, 34–48
tricolor, 33–48
velifer, 34–48
vivesi, 34–48
volans, 34–48
welwitschii, 33–48
yumanensis, 34–48

Names of the orders of Arachnida, on the, Theodore Savory, 122–125
Nanognathia, 162, 166, 169, 170
exigua, 170
Narang, Neelam, S. Narang and J. B. Kitzmiller, Lack of gene flow among three species of anopheline mosquitoes, 1–6
Narang, S., see Narang, Neelam, and —
Nearctic region, 135–150
Nebraska, 106–115
Necrobia, 339
Nectariniidae, 145, 148
Neely, Peter M., review by, 451–459
Nelson, Gareth J., Comments on Hennig's "Phylogenetic Systematics" and its influence on ichthyology, 364–374
Nelson, Gareth J., Phylogenetic relationship and classification, 227–231
Nelson, Gareth J., review by, 350–352, 451
Nelson, Gareth J., "Science or politics?": A reply to H. F. Howden, 341–342
Nematode, 273

Neocellia, 5
Neomyzomyia, 5
Neositta, 147
Neotoma
floridana, 322
microps, 322
Neotropical region, 135–150
Network,
Wagner, 398–411
New Zealand, 70–78
Niche, 135–150
Nomenclatural taxonomy, 117–122
Nomenclature, 215–224
Nonmetric scaling, 271–280
Numerical taxonomic study of Caribbean and Hawaiian reef corals, a, Dennis A. Powers and F. James Rohlf, 53–64
Numerical taxonomic study of the endemic *Ptycta* species of the Hawaiian Islands (Psocoptera: Psocidae), a, V. W. D. Chui and Ian W. B. Thornton, 7–22
Nyctibiidae, 143, 147

Octopus
apollyon, 213
macropus, 210
vulgaris, 210, 211
Oculina diffusa, 54–63
Oculinidae, 58–63
Olson, E. C., Vertebrate paleozoology (rev.), 347
Onychognathia, 158, 166, 169, 170
filifera, 163, 164, 170
Onychognathiidae, 155–163, 169
Ophiocomae neglecta, 211
Opiliones, 123, 125
Oriental region, 135–150
Oriolidae, 142
Orthonectidae, 212
Orthopleuca, 339

Palearctic region, 135–150
Palpigradi, 124, 125
Pan troglodytes, 375–377, 381
Paradisaeidae, 140
Parasalmo, 293
Paridae, 142, 147
Parochlus, 73
Partula, 273
Parulidae, 142, 145
Passer domesticus, 23–30
Patton, James L., Robert K. Selander and Michael H. Smith, Genic variation in hybridizing populations of gophers (genus *Thomomys*), 263–270
Pavona
explanulata, 54–63
varians, 54–63
Peck, Stewart B., review by, 450–451
Pelmatosphaera, 212
Percentage length,
plotting, 131
Peromyscus, 265, 267
polionotus, 268
Personal report on the fifth annual numerical taxonomy conference, Toronto, November 1971, a, N. Jardine, 231–236
Peters, James A., On the use of cluster analysis in biogeography, A reply, 242–244
Phenetic relationships among bats of the genus *Myotis*, James S. Findley, 31–52
Phenetics, 236–239
Phenograms, 225, 226
Pheucticus melanocephalus, 439
Phlogistostemus, 339
Phyllostomatidae, 414–429
Phylogenetic relationship and classification, Gareth J. Nelson, 227–231
Phylogenetics, 31–52, 126–128
Phylogenetics and biogeography, Lars Brundin, 69–79
Phytotomidae, 144
Picidae, 142, 147
Pigeon, 271–279
Pigment biochemistry, 245–262
Pipridae, 144
Piranga, 257
flava, 256
olivacea, 256, 257
rubra, 256, 257
Pittasoma, 146
Pittidae, 141, 146
Plecotus, 47
Pleiotropy, 443
Pleodicyema delamarei, 213
Ploceidae, 141, 144, 145, 147
Plotting percentage lengths, Jack T. Tomlinson, 131
Pocillopora
damicornis, 54–63
ligulata, 54–63
meandrina, 54–63
Podocarpus standleyi, 249
Podonomus, 73
Pole,
location, 384–389
Polyipnus
asteroides, 81–90
spinosus, 81–90
Polymorphism, 245–262
Populations,
shrews, 106–116
Porites
astreoides, 54–63
compressa, 54–63
evermanni, 54–63
lobata, 54–63
porites, 54–63
Poritidae, 58–63
Powers, Dennis A. and F. James Rohlf, A numerical taxonomic study of Caribbean and Hawaiian reef corals, 53–64
Primates, 71, 72, 375–383

Principal components, 174–186
Protobibio jurassicus, 76
Provine, William B., The origins of theoretical population genetics (rev.), 132–134
Prunellidae, 141
Psammocora
  stellata, 54–63
  verrilli, 54–63
Pseudicyema, 212, 213
  truncatum, 212
Pseudoscorpiones, 123, 125
Psittacidae, 144, 145
Pterognathia, 159, 161, 162, 166, 168
  atrox, 168
  ctenifera, 168
  grandis, 168
  meixneri, 168
  sorex, 168
  swedmarki, 163, 168
Pterognathiidae, 158–162, 168
Ptilogonys caudatus, 259
Ptilonorhynchidae, 144
Ptycta, 7–22
  apicantha, 8–21
  apicanthoides, 8–21
  diacantha, 8–21
  diadela, 8–21
  diastema, 8–21
  dicrosa, 8–21
  disclera, 8–21
  distinguenda, 8–21
  drepana, 8–21
  drepanoides, 8–21
  episcia, 8–21
  frogneri, 8–21
  giffardi, 8–21
  gynegonia, 8–21
  haleakalae, 8–21
  hardyi, 8–21
  heterogamias, 8–21
  incurvata, 8–21
  kaala, 8–21
  kauaiensis, 8–21
  lanaiensis, 8–21
  leurothorax, 8–21
  lobophora, 8–21
  maculifrons, 8–21
  microctena, 8–21
  microglena, 8–21
  molokaiensis, 8–21
  monticola, 8–21
  oahuensis, 8–21
  oligocantha, 8–21
  pardena, 8–21
  pedina, 8–21
  perkinsi, 8–21
  persimilis, 8–21
  pikeloi, 8–21
  placophora, 8–21
  pupukea, 8–21
  rhina, 8–21
  schisma, 8–21
  simulator, 8–21
  stenomedea, 8–21
  swezeyi, 8–21
  sylvestris, 8–21
  symmetrica, 8–21
  telma, 8–21
  unica, 8–21
  vittipennis, 8–21
  zimmermani, 8–21
Pycnonotidae, 144
  Pyretophorus, 5

Qualitative techniques, 187–198
Quercus costaricensis, 249
Quiscalus major, 334

Ramphastidae, 144
Ramphocelus icteronotus, 256, 257
Rana pipiens, 273
Rattus norvegicus, 273
Regression,
  multiple, 97–105
Reyment, R. A., see Blackith, R. E.
Rhabdornis, 147
Rhamphocelus flammigerus, 256, 257
Rhinocryptidae, 141
Rhopalura, 212
  giardii, 211
  ophiocomae, 211
Ricinulei, 125
Rising, James D. and Frederick W. Schueler, How stable is binominal nomenclature?, 438–439
Rohlf, F. James, An empirical comparison of three ordination techniques in numerical taxonomy, 271–280
Rohlf, F. James, review by, 348–349
Rohlf, F. James, see Powers, Dennis A.
Rohwer, Sievert A., A multivariate assessment of interbreeding between the meadowlarks, *Sturnella*, 313–338

Sackin, M. J., "Good" and "bad" phenograms, 225–226
Salmo, 292–307
  aguabonita, 294, 306
  chrysogaster, 294, 306
  clarki, 293, 295, 301, 306
  gairdneri, 293, 301, 306
  gilae, 294
  whitei, 306
Salmonidae, 292–307
Salpornis, 147
Savory, Theodore, On the names of the orders of Arachnida, 122–125
Scales,
  lizard, 441–443
  size, 97–105
Sceloporus, 97–105, 357–362
  cautus, 357–362

exsul, 357
graciosus, 97–104, 441
occidentalis, 357–362
undulatus, 357–362
virgatus, 357–362
woodi, 357–362
Schizomida, 124, 125
Schlee, Dieter, Die rekonstruktion der phylogenese mit Hennig's Prinzip (rev.), 350–352
Schreck, Carl B., see Lengendre, Pierre, and —
Schueler, Frederick W., see Rising, James D.
"Science or politics?": A reply to H. F. Howden, Gareth J. Nelson, 341–342
Scleractinia, 53–64, 273
Scleroperalia, 151–171
Scorpiones, 123, 125
Selander, Robert K., see Patton, James L., and —
Selection,
centripetal, 23–30
Semaeognathia, 155, 157, 159, 162, 164, 166, 170
sterreri, 170
Sepia
elegans, 212
officinalis, 210–212
Seriatoporidae, 58–63
Shape, 91–96
Sibling species, 446
Siderastrea
radians, 54–63
siderea, 54–63
Siderastreidae, 58–63
Siewing, Rolf, ed., Methoden der phylogenetik. Symposium von 12. bis 13. Februar 1970 im I. Zoologischen Institut der Universität Erlangen-Nürnberg (rev.), 451
Sigmodon
arizonae, 268
hispidus, 268
Similarity of shape, the problem of, Z. Vašíček and R. Jičín, 91–96
Sittidae, 142
Sittinae, 147
Smith, Hobart M. and Rozella B. Smith, Chresonymy ex synonymy, 445
Smith, Michael H., see Patton, James L., and —
Smith, Rozella B., see Smith, Hobart M.
Snail, 273
Sokal distance, 174–186
Solenastrea bournoni, 54–63
Solifugae, 125
Solitaire,
Andean, 259
Soricidae, 106–116
Soulé, Michael, On the methodology of geographic variation analysis, 443–445
Soulé, Michael and W. Charles Kerfoot, On the climatic determination of scale size in a lizard, 97–105
Sparrow,
house, 23–30
song, 248
Species,
sibling, 446
Sphenodon, 74
Spodiornis rusticus, 259
Steatornithidae, 144
Stehli, Francis G., see Durazzi, Joseph T.
Stenoderma rufum, 427
Stephanocoenia michelini, 54–63
Sternoptychidae, 80–90
Sternoptyx diaphana, 81–90
Sterrer, Wolfgang, Systematics and evolution within the Gnathostomulida, 151–173
Steyskal, George C., The meaning of the term "sibling species," 446
Stoecharthrum, 212
Stunkard, Horace W., Clarification of taxonomy in the Mesozoa, 210–214
Sturnella, 146
magna, 313–338
neglecta, 313–338
Sturnira, 425–426
Sylviinae, 142
Synonymy, 445
Systematic value of the alimentary canal in Cleridae, on the, R. A. Crowson, 339–340
Systematics, 106–116
phylogenetic, 364–374
Systematics and evolution within the Gnathostomulida, Wolfgang Sterrer, 151–173
Systematics and zoogeography: science or politics?, H. F. Howden, 129–131

Tanagers, 245–262
Tapir, 365
Tarsostenus univittatus, 339
Taximetric analysis of selected groups of western North American *Salmo* with respect to phylogenetic divergences, Pierre Legendre, Carl B. Schreck and Robert J. Behnke, 292–307
Taximetrics, 375–383
Taxonomy, 65–68, 215–224
nomenclatural, 117–122
numerical, 7–22, 31–52, 53–64, 375–383
Teeth, 375–382
Temnochila coerulea, 339
Temperature,
gradient, 384–389
Tersinidae, 144
Thamnasteriidae, 58–63
Thamnocharis, 146
Thaneroclerus buqueti, 339
Thomomys
bottae, 263–270
umbrinus, 263–270
Thornton, Ian W. B., see Chui, V. W. D.
Thraupinae, 144
Thrush,
slender-billed nightingale, 259
Tichodroma, 147
Timaliinae, 141, 142, 144, 146

Tomlinson, Jack T., Plotting percentage lengths, 131
Tree,
taxonomic, 390–397
Wagner, 398–411
Trochilidae, 137, 142, 145, 146
Trochosmiliidae, 58–63
Troglodytinae, 142
Trogonidae, 142
Trogossita, 340
coerulea, 339
Trophic comparison of avifaunas, a, M. Ross Lein, 135–150
Trophic levels, 135–150
Trout, 292–307
Tubastrea aurea, 54–63
Turdinae, 141, 142, 144
Tyrannidae, 140, 143, 147

Upupidae, 141
Uroderma
bilobatum, 414–429
magnirostrum, 426
Uropygi, 124, 125

Valenciennellus, 81, 85
Vampyrops, 425–426
Vašíček, Z. and R. Jičín, The problem of similarity of shape, 91–96
Vermivora gutturalis, 259
Viatica, 201, 206–208
Vinciguerria, 81–85
Vireo
belli, 439
bellii, 439
Vireonidae, 142, 147
Vogt, W. G. and D. G. McPherson, The weighted separation index: A multivariate technique for separating members of closely-related species using qualitative differences, 187–198

Wagner networks and ancestors, John G. Lundberg, 398–413
Warbler,
flame-throated, 259
Weighted separation index: A multivariate technique for separating members of closely-related species using qualitative differences, the, W. G. Vogt and D. G. McPherson, 187–198
Weinmannia pinnata, 249
Whitehead, P. J. P., The contradiction between nomenclature and taxonomy, 215–224

Xantusia, 362

Zelandochlus, 73
Zoogeography, 129–131
Zosteropidae, 142, 147
Zosterops
albogularis, 289, 290
lateralis, 289–291
tenuirostris, 289–291